

UK NEQAS

United Kingdom National External Quality Assessment Schemes

[UK NEQAS Birmingham Home Page](#) [Results and Reports](#) [Change ID](#) [Help](#) [PDF Help](#)

Results Entry

Scheme: **UK NEQAS for Carbapenemase-Producing Organisms**

Laboratory:

Distribution: **5543**

Dispatch date: **29-01-2024**

Return results: **12-02-2024**

Status:  **NOT submitted**

Page: [Info](#) [Spec:8340](#) [Spec:8341](#) [Final Page](#) [Blank form](#)

Rectal swab: Screen for carbapenemase producing organisms (CPO): Report on organism ID, CPO detected and carbapenemase resistance mechanism

	Specimen : 8340
Pathogen ID	<input type="text" value=""/>
Organism ID Comment	<input type="text" value=""/>
CPO detected result	<input checked="" type="radio"/> Not Examined <input type="radio"/> CPO detected <input type="radio"/> CPO not detected
CPO detected comment	<input type="text" value=""/>
Carbapenemase resistance mechanism	<input checked="" type="radio"/> Not Examined <input type="radio"/> IMP <input type="radio"/> KPC <input type="radio"/> MBL <input type="radio"/> NDM <input type="radio"/> OXA-48-like <input type="radio"/> VIM
Carbapenemase resistance mechanism comment	<input type="text" value=""/>

[Reset Specimen 8340](#)

[Save Specimen 8340](#)

Operated by UK Health Security Agency
61 Colindale Avenue
Colindale
London NW9 5EQ

Results Entry

Scheme: **UK NEQAS for Carbapenemase-Producing Organisms**

Laboratory:

Distribution: **5543**

Dispatch date: **29-01-2024**

Return results: **12-02-2024**

Status:  **NOT submitted**

Page: [Info](#) [Spec:8340](#) [Spec:8341](#) [Final Page](#) [Blank form](#)

Rectal swab: Screen for carbapenemase producing organisms (CPO): Report on organism ID, CPO detected and carbapenemase resistance mechanism

	Specimen : 8341
Pathogen ID	<input type="text" value=""/>
Organism ID Comment	<input type="text" value=""/>
CPO detected result	<input checked="" type="radio"/> Not Examined <input type="radio"/> CPO detected <input type="radio"/> CPO not detected
CPO detected comment	<input type="text" value=""/>
Carbapenemase resistance mechanism	<input checked="" type="radio"/> Not Examined <input type="radio"/> IMP <input type="radio"/> KPC <input type="radio"/> MBL <input type="radio"/> NDM <input type="radio"/> OXA-48-like <input type="radio"/> VIM
Carbapenemase resistance mechanism comment	<input type="text" value=""/>

[Reset Specimen 8341](#)

[Save Specimen 8341](#)