UK NEQAS

United Kingdom National External Quality Assessment Schemes

Results Entry

Laboratory:

Scheme: **UK NEQAS Faecal parasites (molecular)**
Distribution: **6070**
Dispatch date: **29-06-2026**
Return results: **20-07-2026**

Status: **NOT submitted**

Page: Info | Methods | Spec:6070A | Spec:6070B | Final Page | Blank form

Examine for faecal parasite nucleic acid (Cryptosporidium sp., Giardia duodenalis and Entamoeba histolytica ONLY)

	Specimen : 6070A
Faecal molecular report by method 1	◉ Not Examined ○ Cryptosporidium parvum ○ Entamoeba histolytica ○ Giardia intestinalis ○ Negative ○ Indeterminate Result
Faecal molecular detection method 1	◉ Not Examined ○ PCR-RFLP ○ Sequencing ○ PCR: Single target ○ PCR: Nested ○ PCR: Multiplex ○ Real-Time Single target ○ Ridagene ○ Sersep: EntericBio ○ Other
Faecal molecular detection method 2	◉ Not Examined ○ Ridagene ○ Sersep: EntericBio ○ PCR: Multiplex ○ Real-Time Single target
Faecal molecular extraction	◉ Not Examined ○ MagnaPur ○ NucliSENS easy MAG ○ Other ○ Qiagen:QIA symphony ○ Qiagen: silica column
CT result by method 1	
CT result by method 2	
Parasite density by method 1	
Parasite density by method 2	

Reset Specimen 6070A | Save Specimen 6070A

Operated by UK Health Security Agency
National Infection Service
61 Colindale Avenue
Colindale
London NW9 5EQ

UK NEQAS

United Kingdom National External Quality Assessment Schemes

Results Entry

Laboratory:

Scheme: **UK NEQAS Faecal parasites (molecular)**
Distribution: **6070**
Dispatch date: **29-06-2026**
Return results: **20-07-2026**

Status: **NOT submitted**

Examine for faecal parasite nucleic acid (Cryptosporidium sp., Giardia duodenalis and Entamoeba histolytica ONLY)

	Specimen : 6070B
Faecal molecular report by method 1	◉ Not Examined ○ Cryptosporidium parvum ○ Entamoeba histolytica ○ Giardia intestinalis ○ Negative ○ Indeterminate Result
Faecal molecular detection method 1	◉ Not Examined ○ PCR-RFLP ○ Sequencing ○ PCR: Single target ○ PCR: Nested ○ PCR: Multiplex ○ Real-Time Single target ○ Ridagene ○ Sersep: EntericBio ○ Other
Faecal molecular detection method 2	◉ Not Examined ○ Ridagene ○ Sersep: EntericBio ○ PCR: Multiplex ○ Real-Time Single target
Faecal molecular extraction	◉ Not Examined ○ MagnaPur ○ NucliSENS easy MAG ○ Other ○ Qiagen:QIA symphony ○ Qiagen: silica column
CT result by method 1	
CT result by method 2	
Parasite density by method 1	
Parasite density by method 2	

Reset Specimen 6070B | Save Specimen 6070B

Operated by UK Health Security Agency
National Infection Service
61 Colindale Avenue
Colindale
London NW9 5EQ