

### Results Entry

Laboratory:

Scheme: **UK NEQAS for Hepatitis B serology**

Distribution: **5515**

Dispatch date: **01-01-2024**

Return results: **22-01-2024**

Status: ✘ **NOT submitted**

Page: [Info](#) [Methods](#) [Spec:8248](#) [Spec:8249](#) [Spec:8250](#) [Spec:8251](#) [Spec:8252](#) [Spec:8253](#) [Final Page](#) [Blank form](#)

<b>Specimen : 8248</b>	
HBsAg report	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
HBsAg kit 1	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
HBsAg Test Reading kit 1	
HBsAg kit 2	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
HBsAg Test Reading kit 2	
HBsAg kit 3	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
HBsAg Test Reading kit 3	
.	
Anti-HBc report	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Anti-HBc kit 1	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Anti-HBc Test Reading kit 1	
Anti-HBc kit 2	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Anti-HBc Test Reading kit 2	
.	
Anti-HBc IgM report	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Anti-HBc IgM kit	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Anti-HBc IgM Test Reading kit 1	
.	
HBeAg report	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
HBeAg kit 1	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
HBeAg Test Reading kit 1	
HBeAg kit 2	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
HBeAg Test Reading kit 2	
.	
Anti-HBe report	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Anti-HBe kit 1	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Anti-HBe Test Reading kit 1	
Anti-HBe kit 2	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Anti-HBe Test Reading kit 2	

[Reset Specimen 8248](#)
[Save Specimen 8248](#)

### Results Entry

Laboratory:

Scheme: **UK NEQAS for Hepatitis B serology**

Distribution: **5515**

Dispatch date: **01-01-2024**

Return results: **22-01-2024**

Status: ✘ **NOT submitted**

Page: [Info](#) [Methods](#) [Spec:8248](#) [Spec:8249](#) [Spec:8250](#) [Spec:8251](#) [Spec:8252](#) [Spec:8253](#) [Final Page](#) [Blank form](#)

<b>Specimen : 8249</b>	
HBsAg report	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
HBsAg kit 1	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
HBsAg Test Reading kit 1	
HBsAg kit 2	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
HBsAg Test Reading kit 2	
HBsAg kit 3	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
HBsAg Test Reading kit 3	
.	
Anti-HBc report	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Anti-HBc kit 1	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Anti-HBc Test Reading kit 1	
Anti-HBc kit 2	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Anti-HBc Test Reading kit 2	
.	
Anti-HBc IgM report	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Anti-HBc IgM kit	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Anti-HBc IgM Test Reading kit 1	
.	
HBeAg report	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
HBeAg kit 1	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
HBeAg Test Reading kit 1	
HBeAg kit 2	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
HBeAg Test Reading kit 2	
.	
Anti-HBe report	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Anti-HBe kit 1	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Anti-HBe Test Reading kit 1	
Anti-HBe kit 2	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Anti-HBe Test Reading kit 2	

[Reset Specimen 8249](#)
[Save Specimen 8249](#)

### Results Entry

Laboratory:

Scheme: **UK NEQAS for Hepatitis B serology**

Distribution: **5515**

Dispatch date: **01-01-2024**

Return results: **22-01-2024**

Status: ✘ **NOT submitted**

Page: [Info](#) [Methods](#) [Spec:8248](#) [Spec:8249](#) [Spec:8250](#) [Spec:8251](#) [Spec:8252](#) [Spec:8253](#) [Final Page](#) [Blank form](#)

<b>Specimen : 8250</b>	
HBsAg report	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
HBsAg kit 1	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
HBsAg Test Reading kit 1	
HBsAg kit 2	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
HBsAg Test Reading kit 2	
HBsAg kit 3	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
HBsAg Test Reading kit 3	
.	
Anti-HBc report	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Anti-HBc kit 1	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Anti-HBc Test Reading kit 1	
Anti-HBc kit 2	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Anti-HBc Test Reading kit 2	
.	
Anti-HBc IgM report	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Anti-HBc IgM kit	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Anti-HBc IgM Test Reading kit 1	
.	
HBeAg report	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
HBeAg kit 1	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
HBeAg Test Reading kit 1	
HBeAg kit 2	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
HBeAg Test Reading kit 2	
.	
Anti-HBe report	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Anti-HBe kit 1	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Anti-HBe Test Reading kit 1	
Anti-HBe kit 2	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Anti-HBe Test Reading kit 2	

[Reset Specimen 8250](#)
[Save Specimen 8250](#)

### Results Entry

Laboratory:

Scheme: **UK NEQAS for Hepatitis B serology**

Distribution: **5515**

Dispatch date: **01-01-2024**

Return results: **22-01-2024**

Status: ✘ **NOT submitted**

Page: [Info](#) [Methods](#) [Spec:8248](#) [Spec:8249](#) [Spec:8250](#) [Spec:8251](#) [Spec:8252](#) [Spec:8253](#) [Final Page](#) [Blank form](#)

<b>Specimen : 8251</b>	
HBsAg report	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
HBsAg kit 1	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
HBsAg Test Reading kit 1	
HBsAg kit 2	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
HBsAg Test Reading kit 2	
HBsAg kit 3	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
HBsAg Test Reading kit 3	
.	
Anti-HBc report	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Anti-HBc kit 1	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Anti-HBc Test Reading kit 1	
Anti-HBc kit 2	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Anti-HBc Test Reading kit 2	
.	
Anti-HBc IgM report	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Anti-HBc IgM kit	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Anti-HBc IgM Test Reading kit 1	
.	
HBeAg report	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
HBeAg kit 1	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
HBeAg Test Reading kit 1	
HBeAg kit 2	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
HBeAg Test Reading kit 2	
.	
Anti-HBe report	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Anti-HBe kit 1	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Anti-HBe Test Reading kit 1	
Anti-HBe kit 2	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Anti-HBe Test Reading kit 2	

[Reset Specimen 8251](#)
[Save Specimen 8251](#)

### Results Entry

Laboratory:

Scheme: **UK NEQAS for Hepatitis B serology**

Distribution: **5515**

Dispatch date: **01-01-2024**

Return results: **22-01-2024**

Status: ✘ **NOT submitted**

Page: [Info](#) [Methods](#) [Spec:8248](#) [Spec:8249](#) [Spec:8250](#) [Spec:8251](#) [Spec:8252](#) [Spec:8253](#) [Final Page](#) [Blank form](#)

<b>Specimen : 8252</b>	
HBsAg report	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
HBsAg kit 1	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
HBsAg Test Reading kit 1	
HBsAg kit 2	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
HBsAg Test Reading kit 2	
HBsAg kit 3	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
HBsAg Test Reading kit 3	
.	
Anti-HBc report	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Anti-HBc kit 1	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Anti-HBc Test Reading kit 1	
Anti-HBc kit 2	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Anti-HBc Test Reading kit 2	
.	
Anti-HBc IgM report	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Anti-HBc IgM kit	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Anti-HBc IgM Test Reading kit 1	
.	
HBeAg report	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
HBeAg kit 1	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
HBeAg Test Reading kit 1	
HBeAg kit 2	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
HBeAg Test Reading kit 2	
.	
Anti-HBe report	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Anti-HBe kit 1	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Anti-HBe Test Reading kit 1	
Anti-HBe kit 2	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Anti-HBe Test Reading kit 2	

[Reset Specimen 8252](#)
[Save Specimen 8252](#)

### Results Entry

Laboratory:

Scheme: **UK NEQAS for Hepatitis B serology**

Distribution: **5515**

Dispatch date: **01-01-2024**

Return results: **22-01-2024**

Status: ✘ **NOT submitted**

Page: [Info](#) [Methods](#) [Spec:8248](#) [Spec:8249](#) [Spec:8250](#) [Spec:8251](#) [Spec:8252](#) [Spec:8253](#) [Final Page](#) [Blank form](#)

<b>Specimen : 8253</b>	
HBsAg report	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
HBsAg kit 1	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
HBsAg Test Reading kit 1	
HBsAg kit 2	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
HBsAg Test Reading kit 2	
HBsAg kit 3	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
HBsAg Test Reading kit 3	
.	
Anti-HBc report	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Anti-HBc kit 1	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Anti-HBc Test Reading kit 1	
Anti-HBc kit 2	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Anti-HBc Test Reading kit 2	
.	
Anti-HBc IgM report	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Anti-HBc IgM kit	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Anti-HBc IgM Test Reading kit 1	
.	
HBeAg report	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
HBeAg kit 1	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
HBeAg Test Reading kit 1	
HBeAg kit 2	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
HBeAg Test Reading kit 2	
.	
Anti-HBe report	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Anti-HBe kit 1	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Anti-HBe Test Reading kit 1	
Anti-HBe kit 2	<input type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Anti-HBe Test Reading kit 2	

[Reset Specimen 8253](#)
[Save Specimen 8253](#)