

Results Entry

Laboratory:

Scheme: **UK NEQAS for Immunity screen**

Distribution: **5601**

Dispatch date: **08-04-2024**

Return results: **29-04-2024**

Status:  **NOT submitted**

Page: [Info](#) [Methods](#) [Spec:8510](#) [Spec:8511](#) [Spec:8512](#) [Spec:8513](#) [Spec:8514](#) [Spec:8515](#) [Final Page](#)
[Blank form](#)

| | |
|----------------------------|---|
| | Specimen : 8510 |
| HAV IgG report | <input checked="" type="radio"/> Not Examined <input type="radio"/> HAV IgG positive <input type="radio"/> HAV IgG equivocal <input type="radio"/> HAV IgG negative |
| HAV IgG kit 1 | <input checked="" type="radio"/> Not Examined <input type="radio"/> HAV IgG positive <input type="radio"/> HAV IgG equivocal <input type="radio"/> HAV IgG negative |
| Test Reading HAV IgG kit 1 | <input type="text"/> |
| HAV IgG kit 2 | <input checked="" type="radio"/> Not Examined <input type="radio"/> HAV IgG positive <input type="radio"/> HAV IgG equivocal <input type="radio"/> HAV IgG negative |
| Test Reading HAV IgG kit 2 | <input type="text"/> |
| . | |
| CMV IgG report | <input checked="" type="radio"/> Not Examined <input type="radio"/> CMV IgG positive <input type="radio"/> CMV IgG equivocal <input type="radio"/> CMV IgG negative |
| CMV IgG kit 1 | <input checked="" type="radio"/> Not Examined <input type="radio"/> CMV IgG positive <input type="radio"/> CMV IgG equivocal <input type="radio"/> CMV IgG negative |
| Test Reading CMV IgG kit 1 | <input type="text"/> |
| CMV IgG kit 2 | <input checked="" type="radio"/> Not Examined <input type="radio"/> CMV IgG positive <input type="radio"/> CMV IgG equivocal <input type="radio"/> CMV IgG negative |
| Test Reading CMV IgG kit 2 | <input type="text"/> |
| . | |
| VZV IgG report | <input checked="" type="radio"/> Not Examined <input type="radio"/> VZV IgG positive <input type="radio"/> VZV IgG equivocal <input type="radio"/> VZV IgG negative |
| VZV IgG kit 1 | <input checked="" type="radio"/> Not Examined <input type="radio"/> VZV IgG positive <input type="radio"/> VZV IgG equivocal <input type="radio"/> VZV IgG negative |
| Test Reading VZV IgG kit 1 | <input type="text"/> |
| VZV IgG kit 2 | <input checked="" type="radio"/> Not Examined <input type="radio"/> VZV IgG positive <input type="radio"/> VZV IgG equivocal <input type="radio"/> VZV IgG negative |
| Test Reading VZV IgG kit 2 | <input type="text"/> |

[Reset Specimen 8510](#)
[Save Specimen 8510](#)

Results Entry

Laboratory:

Scheme: **UK NEQAS for Immunity screen**

Distribution: **5601**

Dispatch date: **08-04-2024**

Return results: **29-04-2024**

Status:  **NOT submitted**

Page: [Info](#) [Methods](#) [Spec:8510](#) [Spec:8511](#) [Spec:8512](#) [Spec:8513](#) [Spec:8514](#) [Spec:8515](#) [Final Page](#)
[Blank form](#)

| | |
|----------------------------|---|
| | Specimen : 8511 |
| HAV IgG report | <input checked="" type="radio"/> Not Examined <input type="radio"/> HAV IgG positive <input type="radio"/> HAV IgG equivocal <input type="radio"/> HAV IgG negative |
| HAV IgG kit 1 | <input checked="" type="radio"/> Not Examined <input type="radio"/> HAV IgG positive <input type="radio"/> HAV IgG equivocal <input type="radio"/> HAV IgG negative |
| Test Reading HAV IgG kit 1 | <input type="text"/> |
| HAV IgG kit 2 | <input checked="" type="radio"/> Not Examined <input type="radio"/> HAV IgG positive <input type="radio"/> HAV IgG equivocal <input type="radio"/> HAV IgG negative |
| Test Reading HAV IgG kit 2 | <input type="text"/> |
| . | |
| CMV IgG report | <input checked="" type="radio"/> Not Examined <input type="radio"/> CMV IgG positive <input type="radio"/> CMV IgG equivocal <input type="radio"/> CMV IgG negative |
| CMV IgG kit 1 | <input checked="" type="radio"/> Not Examined <input type="radio"/> CMV IgG positive <input type="radio"/> CMV IgG equivocal <input type="radio"/> CMV IgG negative |
| Test Reading CMV IgG kit 1 | <input type="text"/> |
| CMV IgG kit 2 | <input checked="" type="radio"/> Not Examined <input type="radio"/> CMV IgG positive <input type="radio"/> CMV IgG equivocal <input type="radio"/> CMV IgG negative |
| Test Reading CMV IgG kit 2 | <input type="text"/> |
| . | |
| VZV IgG report | <input checked="" type="radio"/> Not Examined <input type="radio"/> VZV IgG positive <input type="radio"/> VZV IgG equivocal <input type="radio"/> VZV IgG negative |
| VZV IgG kit 1 | <input checked="" type="radio"/> Not Examined <input type="radio"/> VZV IgG positive <input type="radio"/> VZV IgG equivocal <input type="radio"/> VZV IgG negative |
| Test Reading VZV IgG kit 1 | <input type="text"/> |
| VZV IgG kit 2 | <input checked="" type="radio"/> Not Examined <input type="radio"/> VZV IgG positive <input type="radio"/> VZV IgG equivocal <input type="radio"/> VZV IgG negative |
| Test Reading VZV IgG kit 2 | <input type="text"/> |

[Reset Specimen 8511](#)
[Save Specimen 8511](#)

Results Entry

Laboratory:

Scheme: **UK NEQAS for Immunity screen**

Distribution: **5601**

Dispatch date: **08-04-2024**

Return results: **29-04-2024**

Status: **NOT submitted**

Page: [Info](#) [Methods](#) [Spec:8510](#) [Spec:8511](#) [Spec:8512](#) [Spec:8513](#) [Spec:8514](#) [Spec:8515](#) [Final Page](#)
[Blank form](#)

| | |
|----------------------------|---|
| | Specimen : 8512 |
| HAV IgG report | <input checked="" type="radio"/> Not Examined <input type="radio"/> HAV IgG positive <input type="radio"/> HAV IgG equivocal <input type="radio"/> HAV IgG negative |
| HAV IgG kit 1 | <input checked="" type="radio"/> Not Examined <input type="radio"/> HAV IgG positive <input type="radio"/> HAV IgG equivocal <input type="radio"/> HAV IgG negative |
| Test Reading HAV IgG kit 1 | <input type="text"/> |
| HAV IgG kit 2 | <input checked="" type="radio"/> Not Examined <input type="radio"/> HAV IgG positive <input type="radio"/> HAV IgG equivocal <input type="radio"/> HAV IgG negative |
| Test Reading HAV IgG kit 2 | <input type="text"/> |
| . | |
| CMV IgG report | <input checked="" type="radio"/> Not Examined <input type="radio"/> CMV IgG positive <input type="radio"/> CMV IgG equivocal <input type="radio"/> CMV IgG negative |
| CMV IgG kit 1 | <input checked="" type="radio"/> Not Examined <input type="radio"/> CMV IgG positive <input type="radio"/> CMV IgG equivocal <input type="radio"/> CMV IgG negative |
| Test Reading CMV IgG kit 1 | <input type="text"/> |
| CMV IgG kit 2 | <input checked="" type="radio"/> Not Examined <input type="radio"/> CMV IgG positive <input type="radio"/> CMV IgG equivocal <input type="radio"/> CMV IgG negative |
| Test Reading CMV IgG kit 2 | <input type="text"/> |
| . | |
| VZV IgG report | <input checked="" type="radio"/> Not Examined <input type="radio"/> VZV IgG positive <input type="radio"/> VZV IgG equivocal <input type="radio"/> VZV IgG negative |
| VZV IgG kit 1 | <input checked="" type="radio"/> Not Examined <input type="radio"/> VZV IgG positive <input type="radio"/> VZV IgG equivocal <input type="radio"/> VZV IgG negative |
| Test Reading VZV IgG kit 1 | <input type="text"/> |
| VZV IgG kit 2 | <input checked="" type="radio"/> Not Examined <input type="radio"/> VZV IgG positive <input type="radio"/> VZV IgG equivocal <input type="radio"/> VZV IgG negative |
| Test Reading VZV IgG kit 2 | <input type="text"/> |

[Reset Specimen 8512](#)
[Save Specimen 8512](#)

Results Entry

Laboratory:

Scheme: **UK NEQAS for Immunity screen**Distribution: **5601**Dispatch date: **08-04-2024**Return results: **29-04-2024**Status:  **NOT submitted**Page: **Info**[Methods](#)[Spec:8510](#)[Spec:8511](#)[Spec:8512](#)[Spec:8513](#)[Spec:8514](#)[Spec:8515](#)[Final Page](#)[Blank form](#)

| | |
|----------------------------|---|
| | Specimen : 8513 |
| HAV IgG report | <input checked="" type="radio"/> Not Examined <input type="radio"/> HAV IgG positive <input type="radio"/> HAV IgG equivocal <input type="radio"/> HAV IgG negative |
| HAV IgG kit 1 | <input checked="" type="radio"/> Not Examined <input type="radio"/> HAV IgG positive <input type="radio"/> HAV IgG equivocal <input type="radio"/> HAV IgG negative |
| Test Reading HAV IgG kit 1 | <input type="text"/> |
| HAV IgG kit 2 | <input checked="" type="radio"/> Not Examined <input type="radio"/> HAV IgG positive <input type="radio"/> HAV IgG equivocal <input type="radio"/> HAV IgG negative |
| Test Reading HAV IgG kit 2 | <input type="text"/> |
| . | |
| CMV IgG report | <input checked="" type="radio"/> Not Examined <input type="radio"/> CMV IgG positive <input type="radio"/> CMV IgG equivocal <input type="radio"/> CMV IgG negative |
| CMV IgG kit 1 | <input checked="" type="radio"/> Not Examined <input type="radio"/> CMV IgG positive <input type="radio"/> CMV IgG equivocal <input type="radio"/> CMV IgG negative |
| Test Reading CMV IgG kit 1 | <input type="text"/> |
| CMV IgG kit 2 | <input checked="" type="radio"/> Not Examined <input type="radio"/> CMV IgG positive <input type="radio"/> CMV IgG equivocal <input type="radio"/> CMV IgG negative |
| Test Reading CMV IgG kit 2 | <input type="text"/> |
| . | |
| VZV IgG report | <input checked="" type="radio"/> Not Examined <input type="radio"/> VZV IgG positive <input type="radio"/> VZV IgG equivocal <input type="radio"/> VZV IgG negative |
| VZV IgG kit 1 | <input checked="" type="radio"/> Not Examined <input type="radio"/> VZV IgG positive <input type="radio"/> VZV IgG equivocal <input type="radio"/> VZV IgG negative |
| Test Reading VZV IgG kit 1 | <input type="text"/> |
| VZV IgG kit 2 | <input checked="" type="radio"/> Not Examined <input type="radio"/> VZV IgG positive <input type="radio"/> VZV IgG equivocal <input type="radio"/> VZV IgG negative |
| Test Reading VZV IgG kit 2 | <input type="text"/> |

[Reset Specimen 8513](#)[Save Specimen 8513](#)

Results Entry

Laboratory:

Scheme: **UK NEQAS for Immunity screen**

Distribution: **5601**

Dispatch date: **08-04-2024**

Return results: **29-04-2024**

Status: **NOT submitted**

Page: [Info](#) [Methods](#) [Spec:8510](#) [Spec:8511](#) [Spec:8512](#) [Spec:8513](#) [Spec:8514](#) [Spec:8515](#) [Final Page](#)
[Blank form](#)

| | |
|----------------------------|---|
| | Specimen : 8514 |
| HAV IgG report | <input checked="" type="radio"/> Not Examined <input type="radio"/> HAV IgG positive <input type="radio"/> HAV IgG equivocal <input type="radio"/> HAV IgG negative |
| HAV IgG kit 1 | <input checked="" type="radio"/> Not Examined <input type="radio"/> HAV IgG positive <input type="radio"/> HAV IgG equivocal <input type="radio"/> HAV IgG negative |
| Test Reading HAV IgG kit 1 | <input type="text"/> |
| HAV IgG kit 2 | <input checked="" type="radio"/> Not Examined <input type="radio"/> HAV IgG positive <input type="radio"/> HAV IgG equivocal <input type="radio"/> HAV IgG negative |
| Test Reading HAV IgG kit 2 | <input type="text"/> |
| . | |
| CMV IgG report | <input checked="" type="radio"/> Not Examined <input type="radio"/> CMV IgG positive <input type="radio"/> CMV IgG equivocal <input type="radio"/> CMV IgG negative |
| CMV IgG kit 1 | <input checked="" type="radio"/> Not Examined <input type="radio"/> CMV IgG positive <input type="radio"/> CMV IgG equivocal <input type="radio"/> CMV IgG negative |
| Test Reading CMV IgG kit 1 | <input type="text"/> |
| CMV IgG kit 2 | <input checked="" type="radio"/> Not Examined <input type="radio"/> CMV IgG positive <input type="radio"/> CMV IgG equivocal <input type="radio"/> CMV IgG negative |
| Test Reading CMV IgG kit 2 | <input type="text"/> |
| . | |
| VZV IgG report | <input checked="" type="radio"/> Not Examined <input type="radio"/> VZV IgG positive <input type="radio"/> VZV IgG equivocal <input type="radio"/> VZV IgG negative |
| VZV IgG kit 1 | <input checked="" type="radio"/> Not Examined <input type="radio"/> VZV IgG positive <input type="radio"/> VZV IgG equivocal <input type="radio"/> VZV IgG negative |
| Test Reading VZV IgG kit 1 | <input type="text"/> |
| VZV IgG kit 2 | <input checked="" type="radio"/> Not Examined <input type="radio"/> VZV IgG positive <input type="radio"/> VZV IgG equivocal <input type="radio"/> VZV IgG negative |
| Test Reading VZV IgG kit 2 | <input type="text"/> |

[Reset Specimen 8514](#) [Save Specimen 8514](#)

Results Entry

Laboratory:

Scheme: **UK NEQAS for Immunity screen**

Distribution: **5601**

Dispatch date: **08-04-2024**

Return results: **29-04-2024**

Status:  **NOT submitted**

Page: [Info](#) [Methods](#) [Spec:8510](#) [Spec:8511](#) [Spec:8512](#) [Spec:8513](#) [Spec:8514](#) [Spec:8515](#) [Final Page](#)
[Blank form](#)

| | |
|----------------------------|---|
| | Specimen : 8515 |
| HAV IgG report | <input checked="" type="radio"/> Not Examined <input type="radio"/> HAV IgG positive <input type="radio"/> HAV IgG equivocal <input type="radio"/> HAV IgG negative |
| HAV IgG kit 1 | <input checked="" type="radio"/> Not Examined <input type="radio"/> HAV IgG positive <input type="radio"/> HAV IgG equivocal <input type="radio"/> HAV IgG negative |
| Test Reading HAV IgG kit 1 | <input type="text"/> |
| HAV IgG kit 2 | <input checked="" type="radio"/> Not Examined <input type="radio"/> HAV IgG positive <input type="radio"/> HAV IgG equivocal <input type="radio"/> HAV IgG negative |
| Test Reading HAV IgG kit 2 | <input type="text"/> |
| . | |
| CMV IgG report | <input checked="" type="radio"/> Not Examined <input type="radio"/> CMV IgG positive <input type="radio"/> CMV IgG equivocal <input type="radio"/> CMV IgG negative |
| CMV IgG kit 1 | <input checked="" type="radio"/> Not Examined <input type="radio"/> CMV IgG positive <input type="radio"/> CMV IgG equivocal <input type="radio"/> CMV IgG negative |
| Test Reading CMV IgG kit 1 | <input type="text"/> |
| CMV IgG kit 2 | <input checked="" type="radio"/> Not Examined <input type="radio"/> CMV IgG positive <input type="radio"/> CMV IgG equivocal <input type="radio"/> CMV IgG negative |
| Test Reading CMV IgG kit 2 | <input type="text"/> |
| . | |
| VZV IgG report | <input checked="" type="radio"/> Not Examined <input type="radio"/> VZV IgG positive <input type="radio"/> VZV IgG equivocal <input type="radio"/> VZV IgG negative |
| VZV IgG kit 1 | <input checked="" type="radio"/> Not Examined <input type="radio"/> VZV IgG positive <input type="radio"/> VZV IgG equivocal <input type="radio"/> VZV IgG negative |
| Test Reading VZV IgG kit 1 | <input type="text"/> |
| VZV IgG kit 2 | <input checked="" type="radio"/> Not Examined <input type="radio"/> VZV IgG positive <input type="radio"/> VZV IgG equivocal <input type="radio"/> VZV IgG negative |
| Test Reading VZV IgG kit 2 | <input type="text"/> |

[Reset Specimen 8515](#)
[Save Specimen 8515](#)