UK NEQAS

United Kingdom National External Quality Assessment Schemes

Results Entry

Laboratory:

Scheme: **UK NEQAS for Malaria rapid**
Distribution: **6084**
Dispatch date: **27-07-2026**
Return results: **17-08-2026**

Status: **NOT submitted**

Examine for Malaria antigens

	Specimen : 6084A
Kit result 1	(●) Not Examined ( ) Invalid result ( ) P. falciparum only infection ( ) P. falciparum or mixed infection with P. falciparum ( ) Plasmodium sp. other than P.falciparum ( ) Mixed malarial infection ( ) Negative for malaria ( ) Positive for malaria
Kit result 2	(●) Not Examined ( ) Invalid result ( ) P. falciparum only infection ( ) P. falciparum or mixed infection with P. falciparum ( ) Plasmodium sp. other than P.falciparum ( ) Mixed malarial infection ( ) Negative for malaria ( ) Positive for malaria
Kit result 3	(●) Not Examined ( ) Equivocal ( ) Negative ( ) Positive
Overall report	(●) Not Examined ( ) P. falciparum only infection ( ) P. falciparum or mixed infection with P. falciparum ( ) Plasmodium sp. other than P.falciparum ( ) Mixed malarial infection ( ) Positive for malaria ( ) Negative for malaria ( ) Invalid result

Reset Specimen 6084A | Save Specimen 6084A

Operated by UK Health Security Agency
61 Colindale Avenue
Colindale
London NW9 5EQ

UK NEQAS

United Kingdom National External Quality Assessment Schemes

Results Entry

Laboratory:

Scheme: **UK NEQAS for Malaria rapid**
Distribution: **6084**
Dispatch date: **27-07-2026**
Return results: **17-08-2026**

Status: **NOT submitted**

Examine for Malaria antigens

	Specimen : 6084B
Kit result 1	(●) Not Examined ( ) Invalid result ( ) P. falciparum only infection ( ) P. falciparum or mixed infection with P. falciparum ( ) Plasmodium sp. other than P.falciparum ( ) Mixed malarial infection ( ) Negative for malaria ( ) Positive for malaria
Kit result 2	(●) Not Examined ( ) Invalid result ( ) P. falciparum only infection ( ) P. falciparum or mixed infection with P. falciparum ( ) Plasmodium sp. other than P.falciparum ( ) Mixed malarial infection ( ) Negative for malaria ( ) Positive for malaria
Kit result 3	(●) Not Examined ( ) Equivocal ( ) Negative ( ) Positive
Overall report	(●) Not Examined ( ) P. falciparum only infection ( ) P. falciparum or mixed infection with P. falciparum ( ) Plasmodium sp. other than P.falciparum ( ) Mixed malarial infection ( ) Positive for malaria ( ) Negative for malaria ( ) Invalid result

Reset Specimen 6084B | Save Specimen 6084B

Operated by UK Health Security Agency
61 Colindale Avenue
Colindale
London NW9 5EQ