

UK NEQAS

United Kingdom National External Quality Assessment Schemes

[UK NEQAS Birmingham Home Page](#) [Results and Reports](#) [Change ID](#) [Help](#) [PDF Help](#)

Results Entry

Laboratory:

Scheme: **UK NEQAS for Syphilis serology**

Distribution: **5533**

Dispatch date: **29-01-2024**

Return results: **19-02-2024**

Status:  **NOT submitted**

Page: [Info](#) [Methods](#) [Spec:8308](#) [Spec:8309](#) [Spec:8310](#) [Spec:8311](#) [Spec:8312](#) [Spec:8313](#) [Final Page](#) [Blank form](#)

	Specimen : 8308
Reagin report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Reagin kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Reagin titre (enter dilution factor only)	<input type="text"/>
.	
TP Agglutination report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
TP Agglutination kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
TP Agglutination titre (enter dilution factor only)	<input type="text"/>
.	
FTA-Abs report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> not designated
FTA-Abs kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
.	
Tp Immunoassay IgG/total Ab report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Tp Immunoassay IgG/total Ab kit 1	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Tp Immunoassay IgG/total Ab Test Reading kit 1	<input type="text"/>
Tp Immunoassay IgG/total Ab kit 2	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Tp Immunoassay IgG/total Ab Test Reading kit 2	<input type="text"/>
.	
Immunoassay IgM report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Immunoassay IgM kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Immunoassay IgM Test Reading	<input type="text"/>
.	
Immunoblot IgG report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Immunoblot IgG kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Immunoblot IgM report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Immunoblot IgM kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative

[Reset Specimen 8308](#) [Save Specimen 8308](#)

UK NEQAS

United Kingdom National External Quality Assessment Schemes

[UK NEQAS Birmingham Home Page](#) [Results and Reports](#) [Change ID](#) [Help](#) [PDF Help](#)

Results Entry

Laboratory:

Scheme: **UK NEQAS for Syphilis serology**

Distribution: **5533**

Dispatch date: **29-01-2024**

Return results: **19-02-2024**

Status:  **NOT submitted**

Page: [Info](#) [Methods](#) [Spec:8308](#) [Spec:8309](#) [Spec:8310](#) [Spec:8311](#) [Spec:8312](#) [Spec:8313](#) [Final Page](#) [Blank form](#)

	Specimen : 8309
Reagin report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Reagin kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Reagin titre (enter dilution factor only)	<input type="text"/>
.	
TP Agglutination report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
TP Agglutination kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
TP Agglutination titre (enter dilution factor only)	<input type="text"/>
.	
FTA-Abs report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> not designated
FTA-Abs kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
.	
Tp Immunoassay IgG/total Ab report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Tp Immunoassay IgG/total Ab kit 1	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Tp Immunoassay IgG/total Ab Test Reading kit 1	<input type="text"/>
Tp Immunoassay IgG/total Ab kit 2	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Tp Immunoassay IgG/total Ab Test Reading kit 2	<input type="text"/>
.	
Immunoassay IgM report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Immunoassay IgM kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Immunoassay IgM Test Reading	<input type="text"/>
.	
Immunoblot IgG report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Immunoblot IgG kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Immunoblot IgM report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Immunoblot IgM kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative

[Reset Specimen 8309](#) [Save Specimen 8309](#)

UK NEQAS

United Kingdom National External Quality Assessment Schemes

[UK NEQAS Birmingham Home Page](#) [Results and Reports](#) [Change ID](#) [Help](#) [PDF Help](#)

Results Entry

Laboratory:

Scheme: **UK NEQAS for Syphilis serology**

Distribution: **5533**

Dispatch date: **29-01-2024**

Return results: **19-02-2024**

Status:  **NOT submitted**

Page: [Info](#) [Methods](#) [Spec:8308](#) [Spec:8309](#) [Spec:8310](#) [Spec:8311](#) [Spec:8312](#) [Spec:8313](#) [Final Page](#) [Blank form](#)

	Specimen : 8310
Reagin report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Reagin kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Reagin titre (enter dilution factor only)	<input type="text"/>
.	
TP Agglutination report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
TP Agglutination kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
TP Agglutination titre (enter dilution factor only)	<input type="text"/>
.	
FTA-Abs report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> not designated
FTA-Abs kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
.	
Tp Immunoassay IgG/total Ab report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Tp Immunoassay IgG/total Ab kit 1	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Tp Immunoassay IgG/total Ab Test Reading kit 1	<input type="text"/>
Tp Immunoassay IgG/total Ab kit 2	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Tp Immunoassay IgG/total Ab Test Reading kit 2	<input type="text"/>
.	
Immunoassay IgM report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Immunoassay IgM kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Immunoassay IgM Test Reading	<input type="text"/>
.	
Immunoblot IgG report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Immunoblot IgG kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Immunoblot IgM report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Immunoblot IgM kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative

[Reset Specimen 8310](#) [Save Specimen 8310](#)

UK NEQAS

United Kingdom National External Quality Assessment Schemes

[UK NEQAS Birmingham Home Page](#) [Results and Reports](#) [Change ID](#) [Help](#) [PDF Help](#)

Results Entry

Laboratory:

Scheme: **UK NEQAS for Syphilis serology**

Distribution: **5533**

Dispatch date: **29-01-2024**

Return results: **19-02-2024**

Status: **NOT submitted**

Page: [Info](#) [Methods](#) [Spec:8308](#) [Spec:8309](#) [Spec:8310](#) [Spec:8311](#) [Spec:8312](#) [Spec:8313](#) [Final Page](#) [Blank form](#)

	Specimen : 8311
Reagin report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Reagin kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Reagin titre (enter dilution factor only)	<input type="text"/>
.	
TP Agglutination report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
TP Agglutination kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
TP Agglutination titre (enter dilution factor only)	<input type="text"/>
.	
FTA-Abs report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> not designated
FTA-Abs kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
.	
Tp Immunoassay IgG/total Ab report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Tp Immunoassay IgG/total Ab kit 1	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Tp Immunoassay IgG/total Ab Test Reading kit 1	<input type="text"/>
Tp Immunoassay IgG/total Ab kit 2	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Tp Immunoassay IgG/total Ab Test Reading kit 2	<input type="text"/>
.	
Immunoassay IgM report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Immunoassay IgM kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Immunoassay IgM Test Reading	<input type="text"/>
.	
Immunoblot IgG report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Immunoblot IgG kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Immunoblot IgM report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Immunoblot IgM kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative

[Reset Specimen 8311](#) [Save Specimen 8311](#)

Results Entry

Laboratory:

Scheme: **UK NEQAS for Syphilis serology**

Distribution: **5533**

Dispatch date: **29-01-2024**

Return results: **19-02-2024**

Status:  **NOT submitted**

Page: [Info](#) [Methods](#) [Spec:8308](#) [Spec:8309](#) [Spec:8310](#) [Spec:8311](#) [Spec:8312](#) [Spec:8313](#) [Final Page](#) [Blank form](#)

	Specimen : 8312
Reagin report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Reagin kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Reagin titre (enter dilution factor only)	<input type="text"/>
.	
TP Agglutination report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
TP Agglutination kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
TP Agglutination titre (enter dilution factor only)	<input type="text"/>
.	
FTA-Abs report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> not designated
FTA-Abs kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
.	
Tp Immunoassay IgG/total Ab report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Tp Immunoassay IgG/total Ab kit 1	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Tp Immunoassay IgG/total Ab Test Reading kit 1	<input type="text"/>
Tp Immunoassay IgG/total Ab kit 2	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Tp Immunoassay IgG/total Ab Test Reading kit 2	<input type="text"/>
.	
Immunoassay IgM report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Immunoassay IgM kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Immunoassay IgM Test Reading	<input type="text"/>
.	
Immunoblot IgG report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Immunoblot IgG kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Immunoblot IgM report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Immunoblot IgM kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative

[Reset Specimen 8312](#)
[Save Specimen 8312](#)

Results Entry

Laboratory:

Scheme: **UK NEQAS for Syphilis serology**

Distribution: **5533**

Dispatch date: **29-01-2024**

Return results: **19-02-2024**

Status: **NOT submitted**

Page: [Info](#) [Methods](#) [Spec:8308](#) [Spec:8309](#) [Spec:8310](#) [Spec:8311](#) [Spec:8312](#) [Spec:8313](#) [Final Page](#) [Blank form](#)

	Specimen : 8313
Reagin report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Reagin kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Reagin titre (enter dilution factor only)	<input type="text"/>
.	
TP Agglutination report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
TP Agglutination kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
TP Agglutination titre (enter dilution factor only)	<input type="text"/>
.	
FTA-Abs report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> not designated
FTA-Abs kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
.	
Tp Immunoassay IgG/total Ab report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Tp Immunoassay IgG/total Ab kit 1	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Tp Immunoassay IgG/total Ab Test Reading kit 1	<input type="text"/>
Tp Immunoassay IgG/total Ab kit 2	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Tp Immunoassay IgG/total Ab Test Reading kit 2	<input type="text"/>
.	
Immunoassay IgM report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Immunoassay IgM kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Immunoassay IgM Test Reading	<input type="text"/>
.	
Immunoblot IgG report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Immunoblot IgG kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Immunoblot IgM report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative
Immunoblot IgM kit	<input checked="" type="radio"/> Not Examined <input type="radio"/> Positive <input type="radio"/> Equivocal <input type="radio"/> Negative

[Reset Specimen 8313](#)
[Save Specimen 8313](#)