

Results Entry

Laboratory:

Scheme: **UK NEQAS for Toxoplasma serology**

Distribution: **5602**

Dispatch date: **08-04-2024**

Return results: **29-04-2024**

Status: **NOT submitted**

Page: [Info](#) [Methods](#) [Spec:8516](#) [Spec:8517](#) [Spec:8518](#) [Final Page](#) [Blank form](#)

49-year-old female with Crohn's disease. Due to start immunosuppressive therapy

	Specimen : 8516
IgG/total - Overall report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Negative <input type="radio"/> Equivocal <input type="radio"/> Positive
IgG/total - Test result kit 1	<input checked="" type="radio"/> Not Examined <input type="radio"/> Negative <input type="radio"/> Equivocal <input type="radio"/> Positive
IgG/total - Test reading kit 1	
IgG/total - Cut off reading kit 1	
IgG/total - Test result kit 2	<input checked="" type="radio"/> Not Examined <input type="radio"/> Negative <input type="radio"/> Equivocal <input type="radio"/> Positive
IgG/total - Test reading kit 2	
IgG/total - Cut off reading kit 2	
IgG/total - Test result kit 3	<input checked="" type="radio"/> Not Examined <input type="radio"/> Negative <input type="radio"/> Equivocal <input type="radio"/> Positive
IgG/total - Test reading kit 3	
IgG/total - Cut off reading kit 3	
Avidity report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Borderline <input type="radio"/> High <input type="radio"/> Low <input type="radio"/> Not applicable
Avidity test result	<input checked="" type="radio"/> Not Examined <input type="radio"/> Borderline <input type="radio"/> High <input type="radio"/> Low
Avidity test reading	
Avidity cut off	
IgM - Overall report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Not designated <input type="radio"/> Positive
IgM -Test result	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
IgM -Test reading kit 1	
IgM -Cut off reading kit	

1	
IgM -Test Result	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
IgM -Test reading kit 2	<input type="text"/>
IgM -Cut off reading kit 2	<input type="text"/>

Reset Specimen 8516

Save Specimen 8516

Operated by UK Health Security Agency
National Infection Service
61 Colindale Avenue
Colindale
London NW9 5EQ

Results Entry

Laboratory:

Scheme: **UK NEQAS for Toxoplasma serology**

Distribution: **5602**

Dispatch date: **08-04-2024**

Return results: **29-04-2024**

Status: ✘ **NOT submitted**

Page:

[Info](#)

[Methods](#)

[Spec:8516](#)

[Spec:8517](#)

[Spec:8518](#)

[Final Page](#)

[Blank form](#)

30-year-old female. 25 weeks pregnant, echogenic bowel identified on foetal ultrasound

	Specimen : 8517
IgG/total - Overall report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Negative <input type="radio"/> Equivocal <input type="radio"/> Positive
IgG/total - Test result kit 1	<input checked="" type="radio"/> Not Examined <input type="radio"/> Negative <input type="radio"/> Equivocal <input type="radio"/> Positive
IgG/total - Test reading kit 1	<input type="text"/>
IgG/total - Cut off reading kit 1	<input type="text"/>
IgG/total - Test result kit 2	<input checked="" type="radio"/> Not Examined <input type="radio"/> Negative <input type="radio"/> Equivocal <input type="radio"/> Positive
IgG/total - Test reading kit 2	<input type="text"/>
IgG/total - Cut off reading kit 2	<input type="text"/>
IgG/total - Test result kit 3	<input checked="" type="radio"/> Not Examined <input type="radio"/> Negative <input type="radio"/> Equivocal <input type="radio"/> Positive
IgG/total - Test reading kit 3	<input type="text"/>
IgG/total - Cut off reading kit 3	<input type="text"/>
Avidity report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Borderline <input type="radio"/> High <input type="radio"/> Low <input type="radio"/> Not applicable
Avidity test result	<input checked="" type="radio"/> Not Examined <input type="radio"/> Borderline <input type="radio"/> High <input type="radio"/> Low
Avidity test reading	<input type="text"/>
Avidity cut off	<input type="text"/>
IgM - Overall report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Not designated <input type="radio"/> Positive
IgM -Test result	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
IgM -Test reading kit 1	<input type="text"/>

IgM -Cut off reading kit 1	<input type="text"/>
IgM -Test Result	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
IgM -Test reading kit 2	<input type="text"/>
IgM -Cut off reading kit 2	<input type="text"/>

Reset Specimen 8517	Save Specimen 8517
---------------------	--------------------

Operated by UK Health Security Agency
National Infection Service
61 Colindale Avenue
Colindale
London NW9 5EQ

Results Entry

Laboratory:

Scheme: **UK NEQAS for Toxoplasma serology**

Distribution: **5602**

Dispatch date: **08-04-2024**

Return results: **29-04-2024**

Status: **NOT submitted**

Page:

[Info](#)

[Methods](#)

[Spec:8516](#)

[Spec:8517](#)

[Spec:8518](#)

[Final Page](#)

[Blank form](#)

25-year-old male with 1 month history of enlarged cervical lymph nodes

	Specimen : 8518
IgG/total - Overall report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Negative <input type="radio"/> Equivocal <input type="radio"/> Positive
IgG/total - Test result kit 1	<input checked="" type="radio"/> Not Examined <input type="radio"/> Negative <input type="radio"/> Equivocal <input type="radio"/> Positive
IgG/total - Test reading kit 1	<input type="text"/>
IgG/total - Cut off reading kit 1	<input type="text"/>
IgG/total - Test result kit 2	<input checked="" type="radio"/> Not Examined <input type="radio"/> Negative <input type="radio"/> Equivocal <input type="radio"/> Positive
IgG/total - Test reading kit 2	<input type="text"/>
IgG/total - Cut off reading kit 2	<input type="text"/>
IgG/total - Test result kit 3	<input checked="" type="radio"/> Not Examined <input type="radio"/> Negative <input type="radio"/> Equivocal <input type="radio"/> Positive
IgG/total - Test reading kit 3	<input type="text"/>
IgG/total - Cut off reading kit 3	<input type="text"/>
Avidity report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Borderline <input type="radio"/> High <input type="radio"/> Low <input type="radio"/> Not applicable
Avidity test result	<input checked="" type="radio"/> Not Examined <input type="radio"/> Borderline <input type="radio"/> High <input type="radio"/> Low
Avidity test reading	<input type="text"/>
Avidity cut off	<input type="text"/>
IgM - Overall report	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Not designated <input type="radio"/> Positive
IgM -Test result	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
IgM -Test reading kit 1	<input type="text"/>
IgM -Cut off reading kit	<input type="text"/>

1	
IgM -Test Result	<input checked="" type="radio"/> Not Examined <input type="radio"/> Equivocal <input type="radio"/> Negative <input type="radio"/> Positive
IgM -Test reading kit 2	<input type="text"/>
IgM -Cut off reading kit 2	<input type="text"/>

Reset Specimen 8518

Save Specimen 8518

Operated by UK Health Security Agency
National Infection Service
61 Colindale Avenue
Colindale
London NW9 5EQ